

## Syl-Lighter LED Square - 4,000K lamp

*Sylighter 205 Square LED 15W NW*

**3031703**



### Range features



### PRODUCT OVERVIEW

<b>Technology</b>	LED
<b>Ordering number</b>	3031703
<b>Average life (Rated) (h)</b>	40,000hrs
<b>EAN code</b>	8711971317036
<b>CRI (Ra)</b>	=80
<b>Beam angle(°)</b>	90°
<b>Colour temperature (K)</b>	4.000
<b>Luminous flux (lm)</b>	1191lm
<b>Efficacy (Rated) (lm/w)</b>	1191lm
<b>Voltage (V)</b>	220-240V
<b>Colour</b>	RAL9016
<b>Included lamp</b>	Integrated LED
<b>IP rating</b>	44

## Syl-Lighter LED Square - 4,000K lamp

*Sylighter 205 Square LED 15W NW***3031703****DATA TABLE**

## General data

<b>Technology</b>	LED
<b>Ordering number</b>	3031703
<b>Average life (Rated) (h)</b>	40,000hrs
<b>EAN code</b>	8711971317036
<b>E-number FI</b>	4273649
<b>E-number SE</b>	7462138
<b>Product name</b>	Sylighter 205 Square LED 15W NW
<b>Control gear availability</b>	External
<b>Control gear type</b>	Electronic
<b>Environment</b>	Interior
<b>General application</b>	Indoor Corridors, Reception rooms, Foyers, Student Rooms, Bathrooms
<b>Sales pack quantity</b>	1

## Optical data

<b>CRI (Ra)</b>	=80
<b>Beam angle(°)</b>	90°
<b>Colour temperature (K)</b>	4.000
<b>Luminous flux (lm)</b>	1191lm
<b>Distribution type</b>	Direct
<b>Optical system</b>	Aluminum Reflector

## Electrical data

<b>Efficacy (Rated) (lm/w)</b>	1191lm
<b>Total power consumption (W)</b>	15W
<b>Voltage (V)</b>	220-240V
<b>Drive current (mA)</b>	350mA
<b>Total number of lamps</b>	1

# Syl-Lighter LED Square - 4,000K lamp

*Sylighter 205 Square LED 15W NW*

**3031703**

## Physical data

<b>Weight (kg)</b>	0.85
<b>Colour</b>	RAL9016
<b>Included lamp</b>	Integrated LED
<b>Lamp included</b>	Yes
<b>Height (mm)</b>	68mm
<b>Width (mm)</b>	205mm
<b>Length (mm)</b>	205mm
<b>IP rating</b>	44
<b>Cutout diameter (mm)</b>	185mm x 185mm
<b>Packaging outer height (cm)</b>	20.50
<b>Packaging outer length (cm)</b>	68.50
<b>Packaging outer width (cm)</b>	49.00
<b>Packaging single width (cm)</b>	22.00
<b>Packaging single length (cm)</b>	23.70
<b>Recessed depth (mm)</b>	68mm
<b>Packaging single height (cm)</b>	8.50
<b>Diffuser finish</b>	Opal
<b>Diffuser material</b>	Polycarbonate


# Syl-Lighter LED Square - 4,000K lamp

*Sylighter 205 Square LED 15W NW*

**3031703**

## TECHNICAL DRAWINGS

---



Syl-lighter LED 195